4160



 $\prod_{\frac{1}{1},\frac{1}{1},\frac{1}{1},\frac{1}{1}}^{\frac{1}{1},\frac{1}{1},\frac{1}{1}}$

| 030 | 030 | 020 | 010 | 00C |
|-----------------|------------------|------------------|------------------|-----------------|
| 810mm 31.89" | 810mm 31.89" | 810mm 31.89" | 810mm 31.89* | 470mm 18.50" |
| 930mm 36.61" | 2120mm 83.46" | 1680mm 66.14" | 1040mm 40.94* | 810mm 31.89" |
| | 930mm 36.61" | 930mm 36.61" | 930mm 36.61" | 640mm 25.20" |

Technical Information

ADDITIONAL DIMENSIONS:

Seat Height(cm)48Seat Depth(cm)60Arm Height(cm)81Arm Width(cm)19Leg height(cm)14.5

CONSTRUCTION

Covering: Leather/Fabric

Constructured with a combination of Plywood and LVL for enhanced strength and

Frame Composition: durability

Frame Joint Construction: Reinforced using corner blocks, staples, and adhesive.

Suspension System: Coiled Springs

Seat Type: Attached Seat cushion

Seat Cushion Composition: Foam

Back Type: Attached Back cushion

Back Cushion Composition: Foam
Legs Material: Wood
Legs available colors: Walnut

Reclining Function: NO

DELIVERY INFORMATION

What type of assembly is required Legs

ADDITIONAL DETAILS

Recommended Weight Capacity per Seat(kgs): 110